



Projection > Screens On Frame


Rigid Curved

Frame screen



Rigid Curved are professional screens with finishes that meets the highest quality standards. The special curve of the frame ensure an exiting vision experience, as it physically brings the sides of screen closer to the viewer, following the natural shape of the eyes and thus ensuring a more immersive and involving vision compared to the classic flat screens. The frame is in aluminum section mm. 70x20 matt black colour. The projection surface is fixed to the back of the frame with steel torsion springs. This system, besides to be simple and fast, guarantee durability and constant tensioning of the fabric, even in environments with variable temperatures. Rigid Curved screens are supplied with wall brackets and offers a wide selection of projection surfaces.

- Available projection surfaces White, Hi-gain White, Contrast Grey and 3D White Alu, ratios 4:3, 16:9, 16:10 and 21:9.
- Aluminum frame section mm. 70x20 painted matt black.
- Standard radius 12 mt.
- Mounting of the projection surface on the back of the frame with steel torsion springs and pvc rods.
- Wall mounting brackets.
- Packed in strong double cardboard box.



Wall mounting system

Detail of the screen back with the steel springs mounting system





Projection > Screens On Frame

Rigid Curved

Frame screen



CODE									
WHITE	HI-GAIN WHITE	CONTRAST GREY	PASSIVE 3D	RATIO	NET VIEW AREA	STANDARD RADIUS	PACKING	NET WEIGHT	GROSS WEIGHT
B701612C	H701612C	G701612C	A701612C	4:3	160x120	12 mt	185x15x17	11	14
B701813C	H701813C	G701813C	A701813C	4:3	180x135	12 mt	205x15x17	12	15
B702015C	H702015C	G702015C	A702015C	4:3	200x150	12 mt	225x15x17	13	16
B702216C	H702216C	G702216C	A702216C	4:3	220x165	12 mt	245x15x17	15	18
B702519C	H702519C	G702519C	A702519C	4:3	250x190	12 mt	275x15x17	17	20
B702720C	H702720C	G702720C	A702720C	4:3	270x203	12 mt	295x15x17	20	23
B703022C	H703022C	G703022C	A703022C	4:3	300x225	12 mt	325x15x17	23	27
B701609C	H701609C	G701609C	A701609C	16:9	160x90	12 mt	185x15x17	11	14
B701810C	H701810C	G701810C	A701810C	16:9	180x101	12 mt	205x15x17	12	15
B702011C	H702011C	G702011C	A702011C	16:9	200x113	12 mt	225x15x17	13	16
B702212C	H702212C	G702212C	A702212C	16:9	220x124	12 mt	245x15x17	15	18
B702514C	H702514C	G702514C	A702514C	16:9	250x141	12 mt	275x15x17	17	20
B702715C	H702715C	G702715C	A702715C	16:9	270x152	12 mt	295x15x17	20	23
B703016C	H703016C	G703016C	A703016C	16:9	300x169	12 mt	325x15x17	23	27
B701610C	H701610C	G701610C	A701610C	16:10	160x100	12 mt	185x15x17	11	14
B701811C	H701811C	G701811C	A701811C	16:10	180x113	12 mt	205x15x17	12	15
B702012C	H702012C	G702012C	A702012C	16:10	200x125	12 mt	225x15x17	13	16
B702213C	H702213C	G702213C	A702213C	16:10	220x138	12 mt	245x15x17	15	18
B702515C	H702515C	G702515C	A702515C	16:10	250x157	12 mt	275x15x17	17	20
B702716C	H702716C	G702716C	A702716C	16:10	270x169	12 mt	295x15x17	20	23
B703018C	H703018C	G703018C	A703018C	16:10	300x188	12 mt	325x15x17	23	27
B701606C	H701606C	G701606C	A701606C	21:9	160x69	12 mt	185x15x17	11	14
B701807C	H701807C	G701807C	A701807C	21:9	180x78	12 mt	205x15x17	12	15
B702008C	H702008C	G702008C	A702008C	21:9	200x86	12 mt	225x15x17	13	16
B702209C	H702209C	G702209C	A702209C	21:9	220x95	12 mt	245x15x17	15	18
B702510C	H702510C	G702510C	A702510C	21:9	250x108	12 mt	275x15x17	17	20
B702711C	H702711C	G702711C	A702711C	21:9	270x116	12 mt	295x15x17	20	23
B703012C	H703012C	G703012C	A703012C	21:9	300x129	12 mt	325x15x17	23	27



Projection > Screens On Frame

Rigid Curved

Frame screen



ACCESSORIES AND SPARE PARTS					
CODE	DESCRIPTION	ENCUMBRANCE	PACKING	NET WEIGHT	GROSS WEIGHT
B705000	TENSION SPRINGS (100 pcs.)			0,1	0,1
B700017	WALL MOUNTING BRACKET (IN ADDITION TO THE STANDARD EQUIPMENT)			0,2	0,2
B706000	ANGLE JOINT				

Production on customer specifications:
driving simulator for ambulances



Production on customer specifications:
flight simulator for helicopters

