




Projection > Screens On Frame


Rigid Curved

Frame screen



Rigid Curved are professional screens with finishes that meets the highest quality standards. The special curve of the frame ensure an exiting vision experience, as it physically brings the sides of screen closer to the viewer, following the natural shape of the eyes and thus ensuring a more immersive and involving vision compared to the classic flat screens. The frame is in aluminum section mm. 78x20 matt black colour. The projection surface is fixed to the back of the frame with steel torsion springs. This system, besides to be simple and fast, guarantee durability and constant tensioning of the fabric, even in environments with variable temperatures. Rigid Curved screens are supplied with wall brackets and offers a wide selection of projection surfaces.

- Available projection surfaces White, Hi-gain White, and Contrast Grey; ratios 4:3, 16:9 and 16:10
- Aluminum frame section mm. 78x20 painted matt black.
- Standard radius 12 mt.
- Mounting of the projection surface on the back of the frame with steel torsion springs and pvc rods.
- Wall mounting brackets.
- Packed in strong double cardboard box.



Wall mounting system

Detail of the screen back with the steel springs mounting system






Projection Screens and Accessories

Projection > Screens On Frame

Rigid Curved

Frame screen



CODE								
WHITE	HI-GAIN WHITE	CONTRAST GREY	RATIO	NET VIEW AREA	STANDARD RADIUS	PACKING	NET WEIGHT	GROSS WEIGHT
B701612C	H701612C	G701612C	4:3	160x120	12 mt	180x22x22	11	14
B701813C	H701813C	G701813C	4:3	180x135	12 mt	200x22x22	12	15
B702015C	H702015C	G702015C	4:3	200x150	12 mt	220x22x22	13	16
B702216C	H702216C	G702216C	4:3	220x165	12 mt	240x22x22	15	18
B702519C	H702519C	G702519C	4:3	250x190	12 mt	270x22x22	17	20
B702720C	H702720C	G702720C	4:3	270x203	12 mt	300x22x22	20	23
B703022C	H703022C	G703022C	4:3	300x225	12 mt	320x22x22	23	27
B703526C	H703526C	G703526C	4:3	350x265	12 mt	370x22x22	25	30
B704030C	H704030C	G704030C	4:3	400x300	12 mt	420x22x22	29	34
B701609C	H701609C	G701609C	16:9	160x90	12 mt	180x22x22	11	14
B701810C	H701810C	G701810C	16:9	180x101	12 mt	200x22x22	12	15
B702011C	H702011C	G702011C	16:9	200x113	12 mt	220x22x22	13	16
B702212C	H702212C	G702212C	16:9	220x124	12 mt	240x22x22	15	18
B702514C	H702514C	G702514C	16:9	250x141	12 mt	270x22x22	17	20
B702715C	H702715C	G702715C	16:9	270x152	12 mt	300x22x22	20	23
B703016C	H703016C	G703016C	16:9	300x169	12 mt	320x22x22	23	27
B703519C	H703519C	G703519C	16:9	350x197	12 mt	370x22x22	25	30
B704022C	H704022C	G704022C	16:9	400x225	12 mt	420x22x22	29	34
B701610C	H701610C	G701610C	16:10	160x100	12 mt	180x22x22	11	14
B701811C	H701811C	G701811C	16:10	180x113	12 mt	200x22x22	12	15
B702012C	H702012C	G702012C	16:10	200x125	12 mt	220x22x22	13	16
B702213C	H702213C	G702213C	16:10	220x138	12 mt	240x22x22	15	18
B702515C	H702515C	G702515C	16:10	250x157	12 mt	270x22x22	17	20
B702716C	H702716C	G702716C	16:10	270x169	12 mt	300x22x22	20	23
B703018C	H703018C	G703018C	16:10	300x188	12 mt	320x22x22	23	27
B703521C	H703521C	G703521C	16:10	350x219	12 mt	370x22x22	25	30
B704025C	H704025C	G704025C	16:10	400x250	12 mt	420x22x22	29	34

ACCESSORIES AND SPARE PARTS	
CODE	DESCRIPTION
B705000	TENSION SPRINGS (100 pcs.)
B708000	REAR VERTICAL ALUMINUM BAR TO STRENGTHEN THE FRAME



Projection > Screens On Frame

Rigid Curved

Frame screen



Production on customer specifications:
driving simulator for ambulances



Production on customer specifications:
flight simulator for helicopters



Production on customer specifications:
Curved screen for cruise ship

