

Professional LFD NT Series - 75"


Brightness 500 cd/m² | Android 11 Pre-installed
Ultra-thin bezel | USB Type-C Full-Link

Full native 4K | Operating time 18/7 | Anti-glare | Landscape and Portrait

HNT7520A

PROFESSIONAL SERIES

55" 65" **75"** 86" 98"



4K

Outstanding visibility for presentations and Digital Signage, thanks to the manufacturing quality of the panel and the full 4K resolution on all inputs.



Ultra-thin

The ultra-thin unbranded bezel guarantees great versatility installation even in videowall applications.



2 x 15W

2 x 15 W integrated stereo speakers.

Total power of 30 W

**I/O
4K**

Connections

3 x HDMI input | 1 x USB 2.0
1 x USB 3.0 | 1 x USB Type-C
1 x SPDIF Out (optical) | 1 x audio output
1 x RS232 | 1 x LAN RJ45 input | 1 x LAN RJ45 output | 1 x HDMI output



Android 11

Quad Core A55 processor
4 GB RAM, 32 GB ROM
Standard OPS PC slot

**RDM
Advance**

Chimpa

Remote Display Management Advance license included (1 year)
Bytello Share (perpetual license).

Outstanding visibility for presentations and Digital Signage

Enhance the quality of your meetings and conferences with an extraordinary UHD resolution. Enjoy performance and reliability in a professional product with a very high quality / price ratio. Professional darkness levels ensure great visibility without annoying reflections: with a 500 cd/m² brightness, HELGI NT series Large Format Displays meet the needs of modern meeting and digital signage environments. Thanks to the ease of use of pre-installed Android 11 OS, you will always be able to access your applications.

Thin and modern design



Thin and modern design

Displays in this series feature an ultra-thin frame design that eliminates unnecessary visual elements by directing the audience's attention to the displayed content.

Operating time 18/7

The high manufacturing quality of the panel allows you to program the operating hours of the display without too many worries, ensuring excellent performance for the main hours of the day.

Ease of use and operation

Smart installation, operation and maintenance functionality ensures plug and play use from the first power on.

State of the art processing and connectivity

Through the HDMI port it is possible to connect your teleconference or screen sharing system, set top box or external PC. For this purpose, our monitors help maximise the user experience also with the functionality of the single USB Type-C Full-Link cable connection for unparalleled ease of use.

Advanced connectivity

Thanks to the Android 11 operating system, the NT series allows uncompromising integration and advanced functionality. The integrated MediaPlayer allows the creation and scheduling of playlists with audio video content. Furthermore, thanks to ScreenShare Pro, you can connect multiple devices wirelessly in your meeting room with no difficulty.

Display control

The SoC of HELGI NT series displays allows users to control our displays by using RS232 commands, both via serial interface and via LAN. In addition to that, thanks to Chimpa RDM, it will be possible to command and monitor all display features remotely.



Display control



Advanced connectivity

Code HNT7520A		
DISPLAY	Lighting	Direct type LED
	Panel type	ADS
	Display Area	165 x 92,8 cm
	Diagonal	75"
	Aspect ratio	16:9
	Resolution	UltraHD 4K
	Colour depth	1,07 billion (10 bit)
	Brightness	500 cd/m² (typ) / 450 cd/m² (min)
	Contrast	2000:1 (typ)
	Viewing angle	178°
	Refresh rate	60 Hz
	Haze level	25%
TECHNICAL DATA	Screen orientation	Horizontal (landscape) \ Vertical (portrait)
	External dimensions	168,6 x 96,4 x 8,2 cm (W x H x D)
	Bezel	Width <16 mm (no logo)
	Net weight	25,4 kg
	VESA	600 x 400 mm Screws M8x25mm
INTERFACE	Input	3x HDMI, 1x USB 2.0, 1x USB 3.0, 1x USB Type-C 1x RS232, 1x LAN (RJ45)
	Output	1 x line audio, 1x SPDIF (optical), 1x HDMI, 1x LAN (RJ45)
	Connectivity	Ethernet LAN
	Maximum speaker power	2 x 15 W
	Accessories	OPS PC optional, Wireless module Optional

ANDROID OS	System version	Android 11	
	CPU	Quad Core A55	
	GPU	Mali G52 MP2	
	RAM	4 GB	
	ROM	32 GB	
ENERGY	Maximum consumption	425 W	
	Standby consumption	≤0,5 W (Standby)	
	Lifetime	50.000 hours	
	Operation	18/7	
ACCESSORIES	Content of the package	1 x power cable, 1x HDMI cable, user manual, 1 x remote control (batteries included)	
	ScreenShare Pro	Included (Android)	
	Chimpa RDM	Installed with 1 year enrollment license	
Certifications		Warranty	
CE		3 years	
Android admitted languages		English, Chinese	





www.HELGI-europe.com

HELGI Europe

education@helgi-europe.com

business@helgi-europe.com

#27082024HNT7520A_EN

Dealer