

# Interactive Table 43"

## Designed for collaboration

Integrated touch | Capacitive technology | Android 13  
Built-in 15Wx2 speakers | USB Type-C Full-Link

### HTI4321

Interactive Table 43"



**3** year  
warranty



**ErP**



Zero Gap technology to enable sharper images with better contrast and reduced reflections.



Capacitive touch screen  
Anti-reflective tempered glass




Built-in 15Wx2 stereo speakers  
Total power of 30W



3x USB-A  
1x HDMI in  
1x RJ45 (LAN)  
1x USB type-C Full-Link  
1x Touch USB  
Slot compatible OPS Standard



Octa Core A55 processor  
4GB RAM, 32GB SSD



360° rotation,  
supports: 0°, 90°, 180°, 270°

1

**Table Interactive**

To learn from a new point of view



2

**Video**

For a more immersive experience in multimedia content

3

**360° rotation**

For comprehensive collaboration from all points of view

**Safe design**

Designed to ensure  
**Endurance and Safety**



**Resistant**  
to liquids



**Resistant**  
to scratches

1

Access to the video/data ports is hidden to avoid direct contact with users, but easily accessible when needed.

2

Motorized height adjustment to easily accommodate all ages and every use.

| Code HTI4321   |                     |                                                                                     |
|----------------|---------------------|-------------------------------------------------------------------------------------|
| DISPLAY        | Lighting            | TFT-LCD                                                                             |
|                | Display Area        | 945,4 x 535,5 mm                                                                    |
|                | Diagonal            | 43"                                                                                 |
|                | Aspect ratio        | 16:9                                                                                |
|                | Resolution          | UltraHD 4K - 3840*2160                                                              |
|                | Color Depth         | 1.07 billions (10 bit)                                                              |
|                | Brightness          | 400 cd/m <sup>2</sup>                                                               |
|                | Contrast Ratio      | 1.500:1                                                                             |
|                | Rotation            | 0°, 90°, 180°, 270°                                                                 |
|                | Angle of view       | 178° V / 178° H                                                                     |
| Response time  | 2,5 ms              |                                                                                     |
| TOUCH          | Technology          | Capacitive Touch                                                                    |
|                | Touches             | Up to 20                                                                            |
|                | Input Resolution    | 32768 x 32768                                                                       |
| TECHNICAL DATA | Surface             | Metal shell, anti-reflective tempered glass                                         |
|                | External dimensions | Table size: 129 x 76 x 85cm (L x W x H)<br>Package size: 140 x 27 x 113 (L x W x H) |
|                | Height Excursion    | From 60 cm a 85 cm                                                                  |
|                | Net Weight          | 62Kg                                                                                |
|                | Gross Weight        | 70Kg                                                                                |
|                | Doors               | 3x USB-A, 1x USB type-C Full-Link, 1x RJ45, 1x HDMI in, 1x Touch USB                |
|                | OPS slot            | Compatible with OPS Standard 80 Pin                                                 |
|                | Connectivity        | Ethernet LAN, Wi-Fi, Bluetooth                                                      |
|                | Speaker power       | 15W x 2                                                                             |

| ANDROID OS       | System version          | Android 13.0                                                                                      |                 |  |
|------------------|-------------------------|---------------------------------------------------------------------------------------------------|-----------------|--|
|                  | CPU                     | Octa Core A55, 1.2GHz                                                                             |                 |  |
|                  | RAM                     | 4 GB                                                                                              |                 |  |
|                  | ROM                     | 32 GB                                                                                             |                 |  |
|                  | Compatible applications | GSuite, Google Apps, Microsoft Office, Microsoft Teams, Cisco Webex, Zoom, Google Chrome, Mozilla |                 |  |
|                  | App installation        | All apps compatible with the Android version of the system                                        |                 |  |
|                  | POWER                   | Max consumption                                                                                   | <170W           |  |
|                  |                         | Standby Consumption                                                                               | ≤0.5W (Standby) |  |
| Life time        |                         | 60.000 hours                                                                                      |                 |  |
| Heat dispersion  |                         | Silicone heat sink                                                                                |                 |  |
| ACCESSORIES      | Package Contents        | 1x EU Power Cable, User Manual                                                                    |                 |  |
|                  | Software included       | Blackboard, Browser                                                                               |                 |  |
| CERTIFICATIONS   |                         | WARRANTY                                                                                          |                 |  |
| CE, RoHS and ERP |                         | 3 years on center                                                                                 |                 |  |

| Environmental conditions of use |                    |                      |                  |                       |
|---------------------------------|--------------------|----------------------|------------------|-----------------------|
| Operating temperature           | Operating humidity | Storage temperatures | Storage humidity | Altitude              |
| 0°C~40°C                        | 10%~90%RH          | -20°C~ 60°C          | 10%~90%RH        | less than 5000 meters |





**[www.HELGI-europe.com](http://www.HELGI-europe.com)**

**HELGI Europe**

[education@helgi-europe.com](mailto:education@helgi-europe.com)

[business@helgi-europe.com](mailto:business@helgi-europe.com)

#08102024HTI4321\_EN

Dealer